

<u>MEDICAL CONDITION</u>	<u>SUGGESTED SOLUTIONS</u>	<u>DISEASE MANAGEMENT/ SCREENING GUIDELINES IN THE UNITED STATES</u>	<u>STATISTICS / RISK REDUCTION</u>
Vaccinations:	<p>Work with your doctor to stay on schedule for your vaccinations.</p> <ul style="list-style-type: none"> Influenza: 1 dose annually for all age groups above age 19. Pneumovax: 1-2 doses between ages 19-64. Above age 65: 1 dose. Tetanus, diphtheria, and pertussis: 1 dose TD booster every 10 years for individuals above age 19. Hepatitis A: 2 doses (0, 6-12 months or 0, 6-18 months) for all individuals above age 19. Hepatitis B: 3 doses (0, 1-2 months, 4-6 months) for all individuals above age 19. Herpes zoster: 1 dose for individuals above age 65. Meningococcal Vaccine: 1 or more doses for all individuals above age 19. For measles, mumps, rubella (MMR): <ul style="list-style-type: none"> 1-2 doses for ages 19-49. 1 dose for ages 50 or greater. Varicella: 2 doses for individual's ages 19 or greater. (0, 4-8 weeks) <p>(Suggested Citation: Centers For Disease Control And Prevention. Recommended Adult Immunization Schedule – United States, October 2007 – September 2008. MMWR 2007; 56:Q1-Q4.) http://www.cdc.gov/mmwr/preview/mmwrhtml/mm5641-immunizationa1.htm</p> <p>My vaccination record is _____</p>	<p>Work with your doctor to stay on schedule for your vaccinations.</p> <ul style="list-style-type: none"> Influenza: 1 dose annually for all age groups above age 19. Pneumovax: 1-2 doses between ages 19-64. Above age 65: 1 dose. Tetanus, Diphtheria, and Pertussis: 1 dose TD booster every 10 years for individuals above age 19. Hepatitis A: 2 doses (0, 6-12 months or 6-18 months) for all individuals above age 19. Hepatitis B: 3 doses (0, 1-2 months, 4-6 months) for all individuals above age 19. Herpes Zoster: 1 dose for individuals above age 65. Meningococcal Vaccine: 1 or more doses for all individuals above age 19. For Measles, Mumps, Rubella (MMR): <ul style="list-style-type: none"> 1-2 doses for ages 19-49. 1 dose for ages 50 or greater. Varicella: 2 doses for individual's ages 19 or greater. (0, 4-8 weeks) <p>(Suggested Citation: Centers For Disease Control And Prevention. Recommended Adult Immunization Schedule – United States, October 2007 – September 2008. MMWR 2007; 56:q1-q4.) http://www.cdc.gov/mmwr/preview/mmwrhtml/mm5641-immunizationa1.htm</p>	<p>See figure 1 of recommended adult immunization schedule by vaccine and age group-United States October 2007 to September 2008. (MMWR quick guide.)</p> <ul style="list-style-type: none"> Influenza: 1 dose annually for all age groups above age 19. Pneumovax: 1-2 doses between ages 19-64. Above age 65, 1 dose. Tetanus, diphtheria, and pertussis: 1 dose TD booster every 10 years for individuals above age 19. Hepatitis A: 2 doses (0, 6-12 months) or (0, 6-18 months) for all individuals above age 19. Hepatitis B: 3 doses (0, 1-2 months, 4-6 months) for all individuals above age 19. Herpes zoster: 1 dose for individuals above age 65. Meningococcal vaccine: 1 or more doses for all individuals above age 19. For measles, mumps, rubella (MMR): <ul style="list-style-type: none"> 1-2 doses for ages 19-49. 1 dose for ages 50 or greater. Varicella: 2 doses for individuals ages 19 or greater. (0, 4-8 weeks) <p>(Suggested Citation: Centers For Disease Control and Prevention. Recommended Adult Immunization Schedule – United States, October 2007 – September 2008. MMWR 2007; 56:Q1-Q4.) http://www.cdc.gov/mmwr/preview/mmwrhtml/mm5641-immunizationa1.htm</p>